## **Editorial**

# The Routine Clinical Capture of Patient-Reported Outcomes How Competition on Value Will Lead to Change

Steven M. Bradley, MD, MPH

For decades, the competitive strategy in US healthcare delivery mimicked the theme from the movie *Field of Dreams*: if you build it, they will come. This strategy led to the rapid adoption of new technologies and duplication of services in healthcare markets. Not only is the arms race of medical technology economically unsustainable for the country, but it shifts focus away from improving the health of our nation.<sup>2</sup>

#### Article see p 640

The future will be different. Healthcare delivery systems that demonstrate their healthcare value (ie, optimal patient outcomes at lower costs) will have a competitive advantage in the emerging era of accountable care. For many patients, living well is as important as living longer. As a result, demonstrating optimal health requires more than measuring mortality and morbidity.<sup>3</sup> The measurement of patient-reported outcomes (PROs), including patient's perceived symptom burden, functional status, and health related quality of life,<sup>4</sup> in routine clinical care will be a part of this assessment of value.

Although PROs are cornerstones of clinical research,<sup>5-7</sup> PROs are rarely used in routine clinical care. For PROs to be accepted and widely implemented in routine clinical practice, they will have to be concise, easy to collect, and provide an interpretable score for clinical use. Unfortunately, many tools to capture PROs are long, difficult to administer in clinical practice, and do not produce clinically meaningful scores.<sup>8,9</sup> The study by Chan et al<sup>10</sup> represents an effort to directly address these barriers in the routine clinical use of the Seattle Angina Questionnaire (SAQ) in health status measurement of patients with coronary artery disease.

The SAQ is largely recognized as the international standard for capturing PROs for patients with coronary artery disease. However, the SAQ is long at 19 questions and it lacks a summary score of a patient's health status. In the current study, Chan et al used data from >10000 patients from 5 coronary artery disease patient registries to reduce the SAQ to a 7-item

The opinions expressed in this article are not necessarily those of the editors or of the American Heart Association.

From the VA Eastern Colorado Health Care System and the Colorado Cardiovascular Outcomes Research Consortium, Denver; and University of Colorado School of Medicine, Aurora.

The views expressed in this article represent those of the author, and do not necessarily represent the official views, position or policy of the Department of Veterans Affairs, or the United States government.

Correspondence to Steven M. Bradley, MD, MPH, VA Eastern Colorado Health Care System, Department of Veterans Affairs, 1055 Clermont St (111B), Denver, CO 80220-3808. E-mail Steven.Bradley@va.gov

(Circ Cardiovasc Qual Outcomes. 2014;7:635-636.) © 2014 American Heart Association, Inc.

Circ Cardiovasc Qual Outcomes is available at http://circoutcomes.ahajournals.org DOI: 10.1161/CIRCOUTCOMES.114.001287

relation, ≥0.78), responsiveness to clinical change 1 month after percutaneous coronary intervention, and was predictive of both readmission and mortality outcomes. <sup>10</sup> These findings demonstrate that the SAQ-7 has the same psychometric properties (construct validity, reproducibility, and responsiveness) and prognostic ability as the full SAQ.

Despite being a more efficient and user-friendly instrument for capture of health status, it is unlikely the SAQ-7 will be widely used in clinical practice until we have more data to guide

questionnaire (SAQ-7) with a summary health status score. The resulting SAO-7 demonstrated good construct valid-

ity (compared with Canadian Cardiovascular Society angina

class, the measure had a correlation of 0.62), reproducibility

in patients with stable coronary artery disease (intraclass cor-

Despite being a more efficient and user-friendly instrument for capture of health status, it is unlikely the SAQ-7 will be widely used in clinical practice until we have more data to guide clinicians on how to interpret and act on the SAQ-7 results. Clinicians do not understand how to interpret and apply the results of PROs in the same way as abnormal vital signs, laboratory results, or imaging findings. Until the link between PROs and appropriate clinical action is established, clinicians are unlikely to incorporate PROs in routine clinical care. As a result, we face an impasse—the routine use of PROs in clinical care is needed to inform the impact of healthcare delivery on patient health status, but we cannot expect routine application of PROs by clinicians before defining the clinical benefit in their use.

Although clinicians are unlikely to use PROs to guide care delivery in current practice, PRO capture is becoming obligatory because payers demand to understand the value of the healthcare they purchase. The capture of PROs is a criterion for payment by the Centers of Medicare and Medicaid Services in the setting of transcatheter aortic valve replacement. The incorporation of PROs is being considered as part of meaningful use standards for electronic health records by the Department of Health and Human Services' Office of the National Coordinator for Health Information Technology. Finally, Accountable Care Organizations will be required to incorporate measures of patient health status in the evaluation of healthcare outcomes for their patient population. 14,15

In addition, healthcare organizations are beginning to leverage PROs to gain a competitive advantage by clarifying the value of their care to payers. In prominent examples, healthcare organizations have struck contracts to provide cardiovascular care to large national employers on the basis of transparency in cost and patient outcomes. <sup>16</sup> The International Consortium for Health Outcomes Measurement has proposed standard outcome measures for a variety of medical conditions to assist in the comparison of healthcare value. <sup>17</sup> Healthcare organizations that adopt these measures will be able to delineate the value of their care and identify opportunities for improvement.

Although the pressures to demonstrate healthcare value will result in the increasing capture of PROs, making PROs

relevant to the clinician requires more work. A primary objective of outcomes research is to measure the end result of healthcare, <sup>18</sup> and yet we currently know next to nothing about PROs in routine clinical practice. It will be critical for outcomes research to clarify how to best capture PROs to avoid disruptions in clinical workflow (eg, patient webportals, phone surveys, apps, etc) while simultaneously informing clinical practice, improving clinical care, and optimizing patient outcomes. Only then will clinicians see the value to PROs to the same degree as payers and healthcare organizations.

The Veterans Health Administration recognizes the potential for routine capture of PROs in clinical care to transform quality assessment and quality improvement for cardiovascular care. Systems are being developed to capture PROs before and in follow-up of elective coronary procedures, peripheral vascular procedures, and transcatheter aortic valve replacement. Capture of PRO measures will ensure invasive procedures are being used among patients with anticipated benefit (ie, appropriateness), provide insight on the health benefits achieved from procedural care, and identify patients with declining health status that may benefit from clinical intervention. In these efforts, the VA seeks to be a leader in the capture and application of PROs as part of high-value care.

Healthcare in the United States is evolving from competition based on novel and expensive technology to one based patient outcomes and healthcare value. Healthcare organizations that accept the challenge of PRO capture will have a competitive edge in their ability to demonstrate and improve the value of their care. Although the importance of PROs to payers and healthcare organizations is increasingly clear, we must clarify the utility of PROs in clinical care before clinicians will ultimately champion their routine use.

#### **Disclosures**

None.

### References

- Concannon TW, Nelson J, Kent DM, Griffith JL. Evidence of systematic duplication by new percutaneous coronary intervention programs. Circ Cardiovasc Qual Outcomes. 2013;6:400–408.
- Pollack A. Medical technology "arms race" adds billions to the nation's bills: the price of health. NY Times Web. 1991;A1, B8.
- Institute of Medicine, Committee on Quality Health Care in America. Crossing the Quality Chasm: A New Health System for the 21st Century. Washington, DC: National Academy Press; 2001.
- 4. Rumsfeld JS, Alexander KP, Goff DC Jr, Graham MM, Ho PM, Masoudi FA, Moser DK, Roger VL, Slaughter MS, Smolderen KG, Spertus JA, Sullivan MD, Treat-Jacobson D, Zerwic JJ; American Heart Association Council on Quality of Care and Outcomes Research, Council on

- Cardiovascular and Stroke Nursing, Council on Epidemiology and Prevention, Council on Peripheral Vascular Disease, and Stroke Council. Cardiovascular health: the importance of measuring patient-reported health status: a scientific statement from the American Heart Association. *Circulation*. 2013;127:2233–2249.
- 5. Weintraub WS, Spertus JA, Kolm P, Maron DJ, Zhang Z, Jurkovitz C, Zhang W, Hartigan PM, Lewis C, Veledar E, Bowen J, Dunbar SB, Deaton C, Kaufman S, O'Rourke RA, Goeree R, Barnett PG, Teo KK, Boden WE, Mancini GB; COURAGE Trial Research Group. Effect of PCI on quality of life in patients with stable coronary disease. N Engl J Med. 2008;359:677–687.
- Cohen DJ, Van Hout B, Serruys PW, Mohr FW, Macaya C, den Heijer P, Vrakking MM, Wang K, Mahoney EM, Audi S, Leadley K, Dawkins KD, Kappetein AP; Synergy between PCI with Taxus and Cardiac Surgery Investigators. Quality of life after PCI with drug-eluting stents or coronary-artery bypass surgery. N Engl J Med. 2011;364:1016–1026.
- Arnold SV, Chan PS, Jones PG, Decker C, Buchanan DM, Krumholz HM, Ho PM, Spertus JA; Cardiovascular Outcomes Research Consortium. Translational Research Investigating Underlying Disparities in Acute Myocardial Infarction Patients' Health Status (TRIUMPH): design and rationale of a prospective multicenter registry. Circ Cardiovasc Qual Outcomes. 2011;4:467–476.
- Rumsfeld JS. Health status and clinical practice: when will they meet? Circulation. 2002;106:5–7.
- Spertus J. Barriers to the use of patient-reported outcomes in clinical care. Circ Cardiovasc Qual Outcomes. 2014;7:2–4.
- Chan PS, Jones PG, Arnold SV, Spertus JA. Development and Validation of a Short Version of the Seattle Angina Questionnaire. Circ Cardiovasc Oual Outcomes. 2014;7:640–647.
- Spertus JA, Winder JA, Dewhurst TA, Deyo RA, Prodzinski J, McDonell M, Fihn SD. Development and evaluation of the Seattle Angina Questionnaire: a new functional status measure for coronary artery disease. *J Am Coll Cardiol*. 1995;25:333–341.
- Decision Memo for Transcatheter Aortic Valve Replacement (TAVR) (CAG-00430N). http://www.cms.gov/medicare-coverage-database/details/nca-decision-memo.aspx?NCAId=257&ver=4&NcaName=Transcatheter+Aortic+Valve+Replacement+(TAVR)&bc=ACAAAAAAIAAA&. Accessed August 13, 2014.
- PROMises, PROMises: Finally, Quality We Really Care About—Health Affairs Blog. http://healthaffairs.org/blog/2012/06/25/promises-promises-finally-quality-we-really-care-about/. Accessed August 13, 2014.
- Using Patient-Reported Outcomes to Improve Health Care Quality—The Commonwealth Fund. http://www.commonwealthfund.org/publications/newsletters/quality-matters/2011/december-january-2012/in-focus. Accessed August 12, 2014.
- ACO-Shared-Savings-Program-Quality-Measures. http://www.cms. gov/Medicare/Medicare-Fee-for-Service-Payment/sharedsavingsprogram/Downloads/ACO-Shared-Savings-Program-Quality-Measures.pdf. Accessed August 12, 2014.
- Boeing to send some insured workers to Cleveland for cardiac care. The Seattle Times. http://seattletimes.com/html/localnews/2019468683\_boeingheart19m.html. Accessed August 12, 2014.
- 17. ICHOM—International Consortium for Health Outcomes Measurement.: https://www.ichom.org/. Accessed August 12, 2014.
- 18. Clancy CM, Eisenberg JM. Outcomes research: measuring the end results of health care. *Science*. 1998;282:245–246.

Key Words: Editorials ■ clinical cardiology ■ patient reported outcome ■ payment ■ value