


CHD Clinical Practice Algorithm: PDA < 18 Years of Age¹⁻³

Inclusion Criteria:

- PDA diagnosed via echo at age < 18 years

Exclusion Criteria

- Pregnancy




*echo evidence of elevated right-sided pressures should prompt further evaluation for pulmonary hypertension

CHD Clinical Practice Algorithm: PDA Post-Intervention^{4, 5, 8-11}

Inclusion Criteria:

- After surgical or cath based PDA closure




CHD Clinical Practice Algorithm: PDA > 18 Years of Age^{4, 12, 13}

Inclusion Criteria:

- >18 years of age
- Diagnosed via echo with a PDA

Exclusion Criteria

- Pregnancy



References

1. Campbell M. Natural history of persistent ductus arteriosus. *Br Heart J* 1968;30:4-13.
2. Coggin CJ, Parker KR, Keith JD. Natural history of isolated patent ductus arteriosus and the effect of surgical correction: twenty years' experience at The Hospital for Sick Children, Toronto. *Can Med Assoc J* 1970;102:718-20.
3. Weber SC, Weiss K, Bühner C, Hansmann C, Koehne P, Sallmon H. Natural History of Patent Ductus Arteriosus in Very Low Birth Weight Infants after Discharge. *J Pediatr* 2015;167:1149-51.
4. Sachdeva R, Valente AM, Armstrong AK, et al. ACC/AHA/ASE/HRS/ISACHD/SCAI/SCCT/SCMR/SOPE 2020 appropriate use criteria for multimodality imaging during the follow-up care of patients with congenital heart disease: a report of the American College of Cardiology Solution Set Oversight Committee and Appropriate Use Criteria Task Force, American Heart Association, American Society of Echocardiography, Heart Rhythm Society, International Society for Adult Congenital Heart Disease, Society for Cardiovascular Angiography and Interventions, Society of Cardiovascular Computed Tomography, Society for Cardiovascular Magnetic Resonance, and Society of Pediatric Echocardiography. *J Am Coll Cardiol* 2020;75:657-703.
5. Feltes TF, Bacha E, Beekman RH 3rd, et al. Indications for cardiac catheterization and intervention in pediatric cardiac disease: a scientific statement from the American Heart Association. *Circulation* 2011;123:2607-52.
6. Fortescue EB, Lock JE, Galvin T, McElhinney DB. To close or not to close: the very small patent ductus arteriosus. *Congenit Heart Dis* 2010;5:354-65.
7. Thilén U, Aström-Olsson K. Does the risk of infective endarteritis justify routine patent ductus arteriosus closure? *Eur Heart J* 1997;18:503-6.
8. Zahn EM, Nevin P, Simmons C, Garg R. A novel technique for transcatheter patent ductus arteriosus closure in extremely preterm infants using commercially available technology. *Catheter Cardiovasc Interv* 2015;85:240-48.
9. Markush D, Tsing JC, Gupta S, et al. Fate of the left pulmonary artery and thoracic aorta after transcatheter patent ductus arteriosus closure in low birth weight premature infants. *Pediatr Cardiol* 2021;42:628-36.
10. Tomasulo CE, Gillespie MJ, Munson D, et al. Incidence and fate of device-related left pulmonary artery stenosis and aortic coarctation in small infants undergoing transcatheter patent ductus arteriosus closure. *Catheter Cardiovasc Interv* 2020;96:889-97.
11. Dimas VV, Takao C, Ing FF, et al. Outcomes of transcatheter occlusion of patent ductus arteriosus in infants weighing ≤ 6 kg. *JACC Cardiovasc Interv* 2010;3:1295-99.
12. Stout KK, Daniels CJ, Aboulhosn JA, et al. 2018 AHA/ACC guideline for the management of adults with congenital heart disease: a report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *J Am Coll Cardiol* 2019;73:1494-1563.
13. Baumgartner H, De Backer J, Babu-Narayan SV, et al. 2020 ESC Guidelines for the management of adult congenital heart disease. *Eur Heart J* 2021;42:563-645.